

Nützliche Hinweise

Links zu Ansible Docs

- [List of Behavioral Inventory Parameters](#)
- [Best practices for variables and vaults](#)
- [Ansible Vault - verschlüsselter Speicher](#)

Überprüfung der Erreichbarkeit aller Hosts

```
root@server: /etc/ansible# ansible -i /etc/ansible/INVENTORY -m ping HOST-GRUPPE
server-01 | SUCCESS => {
    "changed": false,
    "ping": "pong"
}
server-02 | SUCCESS => {
    "changed": false,
    "ping": "pong"
}
server-03 | SUCCESS => {
    "changed": false,
    "ping": "pong"
}
```

Verwendung der shell

Abfragen ob ein paket installiert ist:

```
root@server#ansible -i /etc/ansible/INVENTORY -m shell -a "dpkg -l | grep PAKETNAME" HOST-GRUPPE
```

Hier mal ein Beispiel:

```
root@server: /etc/ansible# ansible -i /etc/ansible/INVENTORY -m shell -a "dpkg -l | grep lsb-
re" linuxserver
server-01 | SUCCESS | rc=0 >>
```

```

ii lsb-release          9.20161125      all      Linux Standard Base version report
utility

server-02 | SUCCESS | rc=0 >>
ii lsb-release          9.20161125      all      Linux Standard Base version reping
utility

server-03 | SUCCESS | rc=0 >>
ii lsb-release          9.20161125      all      Linux Standard Base version
reporting uity

```

Arbeiten mit Variablen, geschützten sensiblen Daten in Variablen usw.

Quelle: <https://www.digitalocean.com/community/tutorials/how-to-use-vault-to-protect-sensitive-ansible-data-on-ubuntu-16-04>

So könnt ihr Variablen in config Dateien aufrufen:

```
|variableABC: "{{{ variablexyz }}}"|
```

Ich nutze das z.B. um Passwörter zu schützen, die ich in einer sog. "Ansible Vault" verschlüsselt gespeichert habe.

[Hier gehts zur Ansible Doku zum Thema Vault.](#)

Variablen - Hostnamen aus dem Inventory in config files einbauen

Wenn man z.b. ein Cluster für Graylog hat und möchte diese Cluster Nodes mit einer einheitlichen Konfiguration für einen Telegraf Datensammler bestücken dann muss man nicht für jeden Node eine separate telegraf.conf bereitstellen.

Ich habe es so gelöst:

1. einheitliche telegraf.conf Datei:

```

[[inputs.graylog]]
metrics = ["..."]
password = "Graylog-Passwort"

```

```
servers = ["http://#graylog-node: 9000/api/system/metrics/multiple"]  
username = "graylog-user"
```

2. Ansible Playbook

- In der Hostgruppe "g-gl-cluster" befinden sich die Hosts, die zum Graylog gehören.
- Mit dem Aufruf "{{ inventory_hostname }}" wird dann der Hostname des Hosts, der gerade bearbeitet wird, aus dem Inventory ausgelesen und an die entsprechende Stelle in die config Datei. Dazu wird das Ansible Modul "lineinfile" benutzt:

https://docs.ansible.com/ansible/latest/modules/lineinfile_module.html#lineinfile-module

```
---  
- hosts: g-gl-cluster  
  tasks:  
    - name: copy the telegraf config file to the group g-prometheus-clients  
      copy:  
        src: "/etc/ansible/etc-configs/telegraf/telegraf-inputs-graylog.conf"  
        dest: "/etc/telegraf/telegraf.d/telegraf-inputs-graylog.conf"  
        owner: root  
        group: root  
        mode: 0644  
        backup: yes  
    - name: Replace hostname in telegraf config file  
      lineinfile:  
        path: '/etc/telegraf/telegraf.d/telegraf-inputs-graylog.conf'  
        regexp: '^servers'  
        line: 'servers = ["http://{{ inventory_hostname  
}}: 9000/api/system/metrics/multiple"]'  
        state: present  
        create: yes  
    - name: Restart service telegraf, in all cases  
      service:  
        name: telegraf  
        state: restarted
```

Ausführung von Playbooks auf Hosts beschränken

```
#ansible-playbook dein-playbook.yml --limit=einzeln-host
```

Revision #5

Created 19 June 2018 08:20:49 by David

Updated 20 January 2020 08:57:40 by David